



Product Service

Attestation of Conformity

No. T8EA 116726 0035 Rev. 00

Holder of Attestation: **EcoFlow Inc.**

RM 401, Plant #1, Runheng Industrial Zone, Fuyuan Road
Zhancheng Community, Fuhai Street
Bao'an District
518000 Shenzhen City, Guangdong Province
PEOPLE'S REPUBLIC OF CHINA

Product:

Power station

**[EcoFlow DELTA 3 Plus (for model EF-DL-H10-4)
EcoFlow DELTA 3 (for model EF-DL-H10-3)]**


This Attestation of Conformity is issued on a voluntary basis in support of the Conformity Assessment Module A of Radio Equipment Directive 2014/53/EU. On the basis of the referenced test reports, the samples of the listed product were found to comply with the requirement of Article 3.1(b) and 3.2 of the above mentioned directive as implemented in standards used. For the requirements of the Article 3(2) only harmonized standards valid at the moment of issuing where used. The used standards cover the essential requirements of the Radio Equipment Directive as applicable to this product. The manufacturer must ensure compliance of the manufactured products with the technical documentation and other requirements of the Radio Equipment Directive that apply to them. National legal requirements have to be considered before bringing the product to the market. For details see: www.tuvsud.com/ps-cert

Test report no.:

6895024071301

Date,

2024-09-24


(Alan Xiong)

Page 1 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. T8EA 116726 0035 Rev. 00

Model(s): EF-DL-H10-4, EF-DL-H10-3

Parameters:

Rated Input:

Input (For model EF-DL-H10-4):

AC Input /AC-Eingang: 220-240V 10A, 50Hz/60Hz

Solar / Car Input / Solar-Eingang /Kfz Eingang: DC11-60V 15A,
1000W Max (500W Max per port)

Extra Battery Port Input / Zusatzbatterie Eingangsanschluss:
DC 40-58.4V 58A Max

Input (For model EF-DL-H10-3):

AC Input /AC-Eingang: 220-240V 10A, 50Hz/60Hz

Solar / Car Input / Solar-Eingang /Kfz Eingang: DC11-60V 15A,
500W Max

Extra Battery Port Input / Zusatzbatterie Eingangsanschluss:
DC 40-58.4V 58A Max

Rated Output:

Output (For model EF-DL-H10-4):

Total Output Power / Ausgangsleistung gesamt: 1800W

AC Output (Discharge Only) /AC-Ausgang (nur Entladung): 230V 1800W total 50Hz

AC Output (Bypass MODE)/AC-Ausgang (Bypass-MODUS):

220-240V, 50Hz/60Hz total 9A

Extra Battery Port Output/ Zusatzbatterie Ausgangsanschluss:
DC40-58.4V 30A Max

12V Output/12V-Ausgang: DC12.6V 10A/3A/3A, 126W Max

USB-A Fast Charge Output /USB-A-Schnelllade-Ausgang (x2):

DC 5V 2.4A, DC 9V 2A, DC 12V 3A, 36W Max per port total 72W

USB-C Output/USB-C Ausgang (x2): DC 5/9/12/15V 3A Max,

DC 20/28V 5A Max, 140W Max per port total 280W

Capacity: 1024Wh

Output (For model EF-DL-H10-3):

Total Output Power / Ausgangsleistung gesamt: 1800W

AC Output (Discharge Only) /AC-Ausgang (nur Entladung): 230V 1800W total 50Hz

AC Output (Bypass MODE)/AC-Ausgang (Bypass-MODUS):

220-240V, 50Hz/60Hz total 9A

Extra Battery Port Output/ Zusatzbatterie Ausgangsanschluss:

DC40-58.4V 30A Max

12V Output/12V-Ausgang: DC12.6V 10A/3A/3A, 126W Max

USB-A Fast Charge Output /USB-A-Schnelllade-Ausgang (x2):

DC 5V 2.4A, DC 9V 2A, DC 12V 1.5A, 18W Max per port total 36W

USB-C Output/USB-C Ausgang (x2): DC 5/9/12/15V 3A Max,

DC 20 5A Max, 100W Max per port total 200W

Capacity: 1024Wh

Page 2 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. T8EA 116726 0035 Rev. 00

Test Report No.:

6876024061301 [EN 301 489-1, EN 301 489-17, EN 55032, EN 55035, EN 61000-6-2, EN IEC 61000-6-2, EN 61000-6-4, EN IEC 61000-6-4, EN 61000-3-2, EN IEC 61000-3-2, EN 61000-3-3]

6876024064201 [EN IEC 62040-2]

6895024071301 [EN 300 328]

6895024073801 [EN 300 328]

6895024122801 [EN 50665, EN 62311, EN IEC 62311]

Tested according to:

EN 301 489-1 V2.2.3:2019
EN 301 489-17 V3.2.4:2020
EN 55032:2015
EN 55032:2015/A11:2020
EN 55032:2015/A1:2020
EN 55035:2017
EN 55035:2017/A11:2020
EN 61000-6-2:2005
EN IEC 61000-6-2:2019
EN 61000-6-4:2007
EN IEC 61000-6-4:2019
EN 61000-3-2:2014
EN IEC 61000-3-2:2019/A1:2021
EN 61000-3-3:2013
EN 61000-3-3:2013/A2:2021
EN IEC 62040-2:2018
EN 300 328 V2.2.2:2019
EN 50665:2017
EN IEC 62311:2020
EN 62311:2008

Page 3 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.